

# Outdoor Patio – Private Property

## Portable Heating Appliances

---




### Your portable heating appliance must:

- Be certified by CSA/ULC
- Meet the requirements of TSSA Act 2000
- Be designed for outdoor use only
- Have an anti-tilt feature that automatically shuts off the heater
- Be free-standing, with a minimum height of 160 cm (65 in)
- Table top heating appliances are not permitted



### Do install your portable heating appliance:

- On a non-combustible solid surface (i.e. not on grass or uneven sidewalk)
- Out of the wind. Wind negatively impacts efficiency and can create a hazard if the unit is blown over
- Provide a clear space to combustible items in accordance with manufacturer's instructions but never less than 1 m (3 ft) to the heat source



### Do not install your portable heating appliance:

- Under fire escapes
- Within a means of egress or adjacent to an exit
- Underneath a combustible structure (i.e. canopies, awnings, tents, wood framework)
- Adjacent to or otherwise obstructing firefighting equipment like fire hydrants or Siamese connections
- Near or attached to trees, utilities or other street elements

### Fueled Heating Appliances:

If you choose to use a propane or other fueled heating appliance, please closely follow these specific safety guidelines:

- Do not store the unit indoors
- Keep a maximum of one day's supply of propane on site
- The maximum allowable propane tank size is a single 9 kg (20 lb) tank (approximately 10 hours of operation)
- Do not move portable heater while the flame is open. Ensure the gas supply is properly shut off and the unit is cool before relocating
- Follow all manufacturer safety requirements for the safe transportation, operation and storage of fuel