

ACOUSTIC FENCING (CONTINUED FROM DETAIL 757)

1.ACOUSTIC FENCES WILL BE CONSTRUCTED :

- IN ACCORDANCE WITH THE ENGINEERING STANDARD DETAIL FOR WOOD ACOUSTIC FENCE (506) AND THE ASSOCIATED WOOD ACOUSTIC FENCE NOTES (506.10);
- AT A MINIMUM HEIGHT OF 1800 MM (THE HEIGHT OF THE ACOUSTIC FENCE WILL BE MEASURED FROM THE HIGHEST ADJACENT GRADE WHERE THERE IS A GRADE DIFFERENCE AT EACH END OF THE FENCE AND TO TOP HORIZONTAL RAIL); AND
- AT A MAXIMUM HEIGHT AS PER THE APPROVED ACOUSTICAL REPORT AND SUBDIVISION AGREEMENT;

2.WOOD FENCE POSTS IN ACOUSTIC FENCES WILL BE:

- WITH POSTS LOCATED ON THE RESIDENTIAL PRIVATE PROPERTY, FLUSH TO THE PROPERTY LINE AND IN ACCORDANCE WITH THE ASSOCIATED ENGINEERING STANDARD #506 AND #506.1
- EVENLY SPACED OVER THE LENGTH OF THE FENCE WHEREVER POSSIBLE

3.STAIN OF WOOD ACOUSTIC FENCING WILL BE:

- APPLIED IN ACCORDANCE WITH THE ENGINEERING STANDARD DETAIL 506 AND 506.10;
- APPLIED ON CLEAN DRY WOOD USING SPRAY, BRUSH OR DIPPING METHODS TO ACHIEVE FULL COVERAGE OF ALL EXPOSED SURFACES;
- PRIOR TO ANY STAIN APPLICATION, THE FENCE CONTRACTOR IS REQUIRED TO NOTIFY THE FENCING INSPECTOR FOR REVIEW AND APPROVAL. ACOUSTIC FENCING REQUIRES FULL ACCEPTANCE PRIOR TO THE FIRST COAT OF STAIN.

4.LAYOUT OF ACOUSTIC FENCE RETURNS:

- LOCATION OF ACOUSTICAL FENCE RETURNS TO BUILDINGS WILL BE DETERMINED IN THE FIELD BY THE FENCING INSPECTOR AND THE DEVELOPER DURING THE PRE-FENCE CONSTRUCTION MEETING. ADDITIONAL FENCE RETURN LOCATES REQUIRE A MINIMUM FIVE (5) BUSINESS DAYS ADVANCE NOTICE TO THE FENCING INSPECTOR. ANY CHANGES TO ACOUSTICAL FENCE RETURNS REQUIRE NOTIFICATION, REVIEW AND ACCEPTANCE BY THE FENCING INSPECTOR IN ADVANCE OF INSTALLATION.

5.GATES IN ACOUSTIC FENCE RETURNS WILL BE:

- CONSTRUCTED WHEREVER REAR YARD ACCESS IS NOT POSSIBLE THROUGH THE OPPOSITE SIDE YARD OF THE RESIDENCE, AS FOLLOWS:
- PROVIDE A REASONABLE WIDTH FOR A PERSON TO PASS THROUGH, MINIMUM 1070 MM (42 INCHES);
- CONSTRUCTED IN THE SAME MANNER AND STYLE AS THE ACOUSTIC FENCE AND COMPLY WITH THE ASSOCIATED NOISE REPORT.

<b>THE CORPORATION OF THE TOWN OF WHITBY</b>		<b>PLANNING &amp; DEVELOPMENT DEPARTMENT</b>	
CHECKED 	<b>FENCING NOTES: FENCING CONSTRUCTION MATERIALS &amp; LAYOUT REQUIREMENTS CONTINUED</b>	DWG. DATE: <b>JANUARY 2021</b>	
APPROVED 		REVISION No.: <b>002</b>	
SCALE: <b>N.T.S</b>		REVISION DATE: <b>MAY. 2022</b>	DWG No. <b>757.10</b>